

# Data Storage Tag Floats





Our range of Data Storage Tag floats have been designed to help customers to maximise tag returns. Enabling tags to float means that should the tag become detached from its host, it is able to float and drift to shore where – thanks to its bright colouration and external label – the tag can be retrieved by beach combers and returned to customers. Where flotation collars have been used, return rates of DSTs have increased.

Float style and size often depends on application, so please seek advice from our sales department who will be more than happy to provide you with options.

A bespoke float design service is also available. Various crush/buoyancy ratings are available to optimise the design for your application. Please be aware that there will be additional costs associated with bespoke float designs.

CTL provide complete customer support from technical sales advice through to application.

Specification	Data Storage Tag Floats
Operational Depth	650m
Absolute Max (crush) Depth	1000m
Material	Low density cross linked polymer foam
Painted Finish	High-visibility orange
Optional Medical Grade Silicone Coating	Yes ( <i>details available on application</i> )
<b>Float options</b>	
<p><b>G5 Standard / G5 Long-Life Collar Float</b></p> <p>Attachment hole in domed end of DST casing is accessible, ideal for external use</p>	
<p><b>G5 Long-Life Bullet Float</b></p> <p>No external attachment hole, ideal for internal use</p> <p>Can be optionally coated in medical-grade silicone</p>	

<p><b>G5 String of Floats</b></p> <p>3 small floats attached to the DST using fishing wire, ideal for use inside of eels, for example, where flexibility is critical</p>	
<p><b>G5/G7 pDST Collar Float</b></p> <p>Pop-off attachment loop accessible, provides flotation once pop-off event has occurred</p>	



**Contact Us**

**Chris Challiss**  
 Cefas Technology Limited  
 Pakefield Road  
 Lowestoft  
 Suffolk  
 NR33 0HT  
 UK

**Tel** +44 (0)1502 524443  
**Email** [info@cefastechnology.co.uk](mailto:info@cefastechnology.co.uk)  
**Twitter** @CefasTechnology

[www.cefastechnology.co.uk](http://www.cefastechnology.co.uk)

Specifications mentioned in this document are subject to change without notice. This publication supersedes and replaces all information previously supplied

© Crown copyright September 2021